EAST · UPDATE

L Number	Hits	Search Text	DB	Time stamp
-	253	(vci or vpi) same (client or subscriber or user) same (gateway or access) and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 12:33
-	65	(vci or vpi) same (client or subscriber or user) same (gateway or access) same port and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/28 12:42
-	2	(vci or vpi) same (client or subscriber or user) same (gateway or access) same port and tunnel and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 12:37
-	0	(vci or vpi) same (client or subscriber or user) same (gateway or access) same tunnel and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 12:37
-	5	(vci or vpi) same (client or subscriber or user) same (gateway or access) and tunnel and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 12:39
-	3	(vci or vpi) same (client or subscriber or user) same (domain or service) and (dslam) and tunnel and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 12:40
-	17	(vci or vpi) same (client or subscriber or user) same (gateway or access) same port and security and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 13:47
-	2	(vci or vpi) same (client or subscriber or user) same (exclusive or restrict$3) and security and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 12:45
-	0	(vci or vpi) same (client or subscriber or user) same tunnel and (exclusive or restrict$3) near3 access and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 12:46
-	0	(vci or vpi) and (client or subscriber or user) and tunnel and (exclusive or restrict$3) near3 access and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 12:46
-	43	(exclusive or restrict$3) near3 access near10 domain and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 12:47
-	0	(exclusive or restrict$3) near3 access near10 domain and dslam and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:42
-	24	5805820.URPN.	USPAT	2004/06/28 13:02

-	1739	(exclusive or restrict$3) near3 access near10 (subscriber or user or client) and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:43
-	1771	(exclusive or restrict$3) near6 domain and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:44
-	65	(exclusive or restrict$3) near6 (only or particular) near domain and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:48
-	29452	("709").CLAS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:51
-	4580	(713/200,201).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:51
-	32899	(("709").CLAS.) or ((713/200,201).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:51
-	16796	((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:51
-	88	(((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (authoriz$3 or authorization) near10 domain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:52.
-	37	(((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (forc$3) near10 domain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 15:00
-	5	("5655077" | "5684950" | "5944824" | "6092196" | "6141687").PN.	USPAT	2004/06/28 14:55
-	16	6301618.URPN.	USPAT	2004/06/28 14:55
-	96	(((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (default or override) near10 domain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 16:21
-	11	(((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (overrid$3) near10 domain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 15:53
-	17	("4644532" | "4827411" | "4991204" | "5049873" | "5079765" | "5088091" | "5101348" | "5247381" | "5261044" | "5276789" | "5295244" | "5317568" | "5321813" | "5436909" | "5450408" | "5452330" | "5504921").PN.	USPAT	2004/06/28 15:42
-	66	5751967.URPN.	USPAT	2004/06/28 15:42

-	143	(((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (denial adj2 service)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 15:54
-	70	(((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (denial adj2 service) and domain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 15:54
-	33	(((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (denial adj2 service) and domain same (table or map or chart or lookup or associated)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 16:12
-	24	("5241594" | "5276679" | "5280470" | "5442630" | "5444703" | "5463629" | "5479407" | "5574861" | "5655077" | "5684950" | "5715394" | "5835727" | "5845070" | "5845211" | "5852812" | "5857102" | "5898780" | "5944824" | "6070192" | "6092196" | "6118768" | "6119160" | "6141687" | "6298383").PN.	USPAT	2004/06/28 16:01
-	0	(((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (denial adj2 service) and default adj domain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 16:21
-	0	(((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (denial adj2 service) and domain adj3 default	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 16:13
-	9	(((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (denial adj2 service) and domain near4 only	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 16:14
-	0	(((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (denial adj2 service) and domain near4 exclusive$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 16:14
-	0	(((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (denial adj2 service) and domain with exclusive$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 16:14
-	26	(((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and domain near4 exclusive$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 16:18
-	33	(((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (denial adj2 service) and (exclusive$2 or restrict$3) near6 access	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 16:19
-	4	(((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (default or override) near10 domain same redirect$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 16:24
-	5	(((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (denial adj2 service) and domain same redirect$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 16:22

-	11	(((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (default or overrid$3 or exclusive$2 or restrict$3) same domain same redirect$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 17:11
-	3	(((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (forc$3 or overrid$3) adj2 (user or client or subscriber) adj7 connect	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 17:12
-	306	(((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (forc$3 or overrid$3) adj2 (user or client or subscriber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 17:20
-	44	(((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (forc$3 or overrid$3) adj2 (user or client or subscriber) same connect$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 17:16
-	3	(((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (forc$3 or overrid$3) adj2 (user or client or subscriber) adj10 connect	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 17:17
-	3	(((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (forc$3 or overrid$3) near2 (user or client or subscriber) adj10 connect	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 17:17
-	1	(((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (forc$3 or overrid$3) near2 (user or client or subscriber) with (exclusive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 17:17
-	0	(((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (forc$3 or overrid$3) adj2 (user or client or subscriber) same tunnel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 17:20
-	0	(((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (forc$3 or overrid$3) adj2 (user or client or subscriber) adj2 use	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 17:20
-	2	(((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (forc$3 or overrid$3) adj2 (connect$3) same (exclusive$2 or restrict$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 17:21
-	17	(((("709").CLAS.) or ((713/200,201).CCLS.)) and @ad<20001113) and (forc$3 or overrid$3) adj2 (exclusive$2 or restrict$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 17:21
-	5962	virtual adj private adj network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:39
-	1554	(virtual adj private adj network) and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:39

-	24	((virtual adj private adj network) and @ad<20001113) and single adj connection	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:50
-	31	((virtual adj private adj network) and @ad<20001113) and (exclusive$2 or overrid$3 or restrict$3 or default) near10 domain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:55
-	1766	(exclusive$2 or overrid$3 or restrict$3 or default) near2 domain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:55
-	34	((709/225,220,221).CCLS.) and(exclusive$2 or overrid$3 or restrict$3 or default) near2 domain	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:58
-	3	((709/225,220,221).CCLS.) and (exclusive$2 or overrid$3 or restrict$3 or default) same (only adj allow$3) near6 connect$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:59

L Number	Hits	Search Text	DB	Time stamp
13	15279	(("709").CLAS.) and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 12:55
14	125	((("709").CLAS.) and @ad<20001113) and access$3 same instead with (based or associated)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 12:06
15	3	((("709").CLAS.) and @ad<20001113) and access$3 same instead with domain with (based or associated)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 12:48
16	189	domain near3 (overrid$3 or default or limit$3 or restrict$3 or inhibit$4 or prohibit$4) near4 (setting or configuration or parameter or attribute or description)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 13:07
17	106	(domain near3 (overrid$3 or default or limit$3 or restrict$3 or inhibit$4 or prohibit$4) near4 (setting or configuration or parameter or attribute or description)) and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 12:55
18	12	(("709").CLAS.) and ((domain near3 (overrid$3 or default or limit$3 or restrict$3 or inhibit$4 or prohibit$4) near4 (setting or configuration or parameter or attribute or description)) and @ad<20001113)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 12:55
19	84	domain adj2 (setting or configuration or parameter or attribute or description) same (exclusive$2 or overrid$3 or default or restrict$3 or allow$3 or forcing) same (access$3 or connect$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 13:10
20	3	((("709").CLAS.) and @ad<20001113) and (domain adj2 (setting or configuration or parameter or attribute or description) same (exclusive$2 or overrid$3 or default or restrict$3 or allow$3 or forcing) same (access$3 or connect$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 13:09
21	359	domain adj2 (setting or configuration or parameter or attribute or description) same (access$3 or connect$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 13:13
22	24	(domain adj2 (setting or configuration or parameter or attribute or description) same (access$3 or connect$3)) and ((("709").CLAS.) and @ad<20001113)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 13:10
23	43	domain adj4 (setting or configuration or parameter or attribute or description) same (access$3 or connect$3) and ((("709").CLAS.) and @ad<20001113)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 13:13

"domain override attribute" Search